

## Relational Query Optimization

Chapters 13 and 14

## Overview of Query Optimization

- ▀ **Plan:** Tree of R.A. ops, with choice of alg for each op.
  - Each operator typically implemented using a `pull' interface: when an operator is `pulled' for the next output tuples, it `pulls' on its inputs and computes them.
- ▀ Two main issues:
  - For a given query, what plans are considered?
    - Algorithm to search plan space for cheapest (estimated) plan.
    - How is the cost of a plan estimated?
- ▀ Ideally: Want to find best plan. Practically: Avoid worst plans!
- ▀ We will study the System R approach.

## Highlights of System R Optimizer

- ▀ Impact:
  - Most widely used currently; works well for < 10 joins.
- ▀ Cost estimation: Approximate art at best.
  - Statistics, maintained in system catalogs, used to estimate cost of operations and result sizes.
  - Considers combination of CPU and I/O costs.
- ▀ Plan Space: Too large, must be pruned.
  - Only the space of *left-deep plans* is considered.
    - Left-deep plans allow output of each operator to be *pipelined* into the next operator without storing it in a temporary relation.
  - Cartesian products avoided.


## Schema for Examples

Sailors (*sid: integer, sname: string, rating: integer, age: real*)  
 Reserves (*sid: integer, bid: integer, day: date, rname: string*)

- ▀ Similar to old schema; *rname* added for variations.
- ▀ Reserves:
- ▀ Sailors:
  - Each tuple is 40 bytes long, 100 tuples per page, 1000 pages.

## Motivating Example

```
SELECT S.sname
FROM Reserves R, Sailors S
WHERE R.sid=S.sid AND
R.bid=100 AND S.rating>5
```



- ▀ Cost: 500+500\*1000 I/Os
- ▀ By no means the worst plan! Plan:
 


```

    ┌── πsname (On-the-fly)
    └── σbid=100 ∧ rating > 5 (On-the-fly)
        └── σsid=sid (Simple Nested Loops)
            └── Reserves
                └── Sailors
      
```
- ▀ Misses several opportunities: selections could have been pushed earlier, no use is made of any available indexes, etc.
- ▀ *Goal of optimization:* To find more efficient plans that compute the same answer.

## Alternative Plans 1 (No Indexes)

- ▀ *Main difference: push selects.*
- ▀ With 5 buffers, cost of plan:
  - Scan Reserves (1000) + write temp T1 (10 pages, if we have 100 boats, uniform distribution).
  - Scan Sailors (500) + write temp T2 (250 pages, if we have 10 ratings).
  - Sort T1 (2\*2\*10), sort T2 (2\*3\*250), merge (10+250)
  - Total: 3560 page I/Os.
- ▀ If we used BNL join, join cost = 10+4\*250, total cost = 2770.
- ▀ If we `push' projections, T1 has only *sid*, T2 only *sid* and *sname*:
  - T1 fits in 3 pages, cost of BNL drops to under 250 pages, total < 2000.

π<sub>sname</sub> (On-the-fly)




## Alternative Plans 2 With Indexes

- v With clustered index on *bid* of Reserves, we get  $100,000/100 = 1000$  tuples on  $1000/100 = 10$  pages.
- v INL with pipelining (outer is not materialized).
  - Projecting out unnecessary fields from outer doesn't help.
- v Join column *sid* is a key for Sailors.
  - At most one matching tuple, unclustered index on *sid* OK.
- v Decision not to push *rating > 5* before the join is based on availability of *sid* index on Sailors.
- v Cost: Selection of Reserves tuples ( $10 \text{ I/Os}$ ); for each, must get matching Sailors tuple ( $1000 * 1.2$ ); total  $1210 \text{ I/Os}$ .

Database Management Systems, R. Ramakrishnan and J. Gehrke

7



## Query Blocks: Units of Optimization

- v An SQL query is parsed into a collection of *query blocks*, and these are optimized one block at a time.
- v Nested blocks are usually treated as calls to a subroutine, made once per outer tuple. (This is an oversimplification, but serves for now.)
- v For each block, the plans considered are:
  - All available access methods, for each reln in FROM clause.
  - All *left-deep join trees* (i.e., all ways to join the relations one-at-a-time, with the inner reln in the FROM clause, considering all reln permutations and join methods.)

Database Management Systems, R. Ramakrishnan and J. Gehrke

8

## Cost Estimation

- v For each plan considered, must estimate cost:
  - Must estimate *cost* of each operation in plan tree.
    - Depends on input cardinalities.
    - We've already discussed how to estimate the cost of operations (sequential scan, index scan, joins, etc.)
  - Must estimate *size of result* for each operation in tree!
    - Use information about the input relations.
    - For selections and joins, assume independence of predicates.
- v We'll discuss the System R cost estimation approach.
  - Very inexact, but works ok in practice.
  - More sophisticated techniques known now.

Database Management Systems, R. Ramakrishnan and J. Gehrke

9

## Statistics and Catalogs

- v Need information about the relations and indexes involved. *Catalogs* typically contain at least:
  - # tuples (NTuples) and # pages (NPages) for each relation.
  - # distinct key values (NKeys) and NPages for each index.
  - Index height, low/high key values (Low/High) for each tree index.
- v Catalogs updated periodically.
  - Updating whenever data changes is too expensive; lots of approximation anyway, so slight inconsistency ok.
- v More detailed information (e.g., histograms of the values in some field) are sometimes stored.

Database Management Systems, R. Ramakrishnan and J. Gehrke

10

## Size Estimation and Reduction Factors

$\text{SELECT attribute list}$   
 $\text{FROM relation list}$   
 $\text{WHERE term1 AND ... AND termk}$

- v Consider a query block:
- v Maximum # tuples in result is the product of the cardinalities of relations in the FROM clause.
- v *Reduction factor (RF)* associated with each *term* reflects the impact of the *term* in reducing result size. *Result cardinality* = Max # tuples \* product of all RF's.
  - Implicit assumption that *terms* are independent!
  - Term  $col=value$  has RF  $1/N\text{Keys}(I)$ , given index I on *col*
  - Term  $col1=col2$  has RF  $1/\max(N\text{Keys}(I1), N\text{Keys}(I2))$
  - Term  $col>value$  has RF  $(High(I)-value)/(High(I)-Low(I))$

Database Management Systems, R. Ramakrishnan and J. Gehrke

11

## Relational Algebra Equivalences

- v Allow us to choose different join orders and to 'push' selections and projections ahead of joins.
- v Selections:  $\sigma_{c_1 \wedge \dots \wedge c_n}(R) \equiv \sigma_{c_1}(\dots \sigma_{c_n}(R))$  (Cascade)
- v Projections:  $\pi_{a_1}(R) \equiv \pi_{a_1}(\dots (\pi_{a_n}(R)))$  (Cascade)
- v Joins:  $R \quad (S \quad T) \equiv (R \quad S) \quad T$  (Associative)
- + Show that:  $R \quad (S \quad T) \equiv (T \quad R) \quad S$  (Commutative)

Database Management Systems, R. Ramakrishnan and J. Gehrke

12

## More Equivalences

- ✓ A projection commutes with a selection that only uses attributes retained by the projection.
- ✓ Selection between attributes of the two arguments of a cross-product converts cross-product to a join.
- ✓ A selection on just attributes of R commutes with  $R \bowtie S$ . (i.e.,  $\sigma(R \bowtie S) \equiv \sigma(R) \bowtie S$ )
- ✓ Similarly, if a projection follows a join  $R \bowtie S$ , we can ‘push’ it by retaining only attributes of R (and S) that are needed for the join or are kept by the projection.

Database Management Systems, R. Ramakrishnan and J. Gehrke

13

## Enumeration of Alternative Plans

- ✓ There are two main cases:
  - Single-relation plans
  - Multiple-relation plans
- ✓ For queries over a single relation, queries consist of a combination of selects, projects, and aggregate ops:
  - Each available access path (file scan / index) is considered, and the one with the least estimated cost is chosen.
  - The different operations are essentially carried out together (e.g., if an index is used for a selection, projection is done for each retrieved tuple, and the resulting tuples are *pipelined* into the aggregate computation).

Database Management Systems, R. Ramakrishnan and J. Gehrke

14

## Cost Estimates for Single-Relation Plans

- ✓ Index I on primary key matches selection:
  - Cost is  $Height(I)+1$  for a B+ tree, about 1.2 for hash index.
- ✓ Clustered index I matching one or more selects:
  - $(NPages(I)+NPages(R)) * product\ of\ RF's\ of\ matching\ selects$ .
- ✓ Non-clustered index I matching one or more selects:
  - $(NPages(I)+NTuples(R)) * product\ of\ RF's\ of\ matching\ selects$ .
- ✓ Sequential scan of file:
  - $NPages(R)$ .
- + **Note:** Typically, no duplicate elimination on projections! (Exception: Done on answers if user says DISTINCT.)

Database Management Systems, R. Ramakrishnan and J. Gehrke

15

```
SELECT S.sid
FROM Sailors S
WHERE S.rating=8
```


- ✓ If we have an index on *rating*:
  - $(1/NKeys(I)) * NTuples(R) = (1/10) * 40000$  tuples retrieved.
  - Clustered index:  $(1/NKeys(I)) * (NPages(I)+NPages(R)) = (1/10) * (50+500)$  pages are retrieved. (This is the *cost*.)
  - Unclustered index:  $(1/NKeys(I)) * (NPages(I)+NTuples(R)) = (1/10) * (50+40000)$  pages are retrieved.
- ✓ If we have an index on *sid*:
  - Would have to retrieve all tuples/pages. With a clustered index, the cost is 50+500, with unclustered index, 50+40000.
- ✓ Doing a file scan:
  - We retrieve all file pages (500).

Database Management Systems, R. Ramakrishnan and J. Gehrke

16

## Queries Over Multiple Relations

- ✓ Fundamental decision in System R: only left-deep join trees are considered.
  - As the number of joins increases, the number of alternative plans grows rapidly; we need to restrict the search space.
  - Left-deep trees allow us to generate all *fully pipelined* plans.
    - Intermediate results not written to temporary files.
    - Not all left-deep trees are fully pipelined (e.g., SM join).



17

## Enumeration of Left-Deep Plans

- ✓ Left-deep plans differ only in the order of relations, the access method for each relation, and the join method for each join.
- ✓ Enumerated using N passes (if N relations joined):
  - Pass 1: Find best 1-relation plan for each relation.
  - Pass 2: Find best way to join result of each 1-relation plan (as outer) to another relation. (*All 2-relation plans*.)
  - Pass N: Find best way to join result of a (N-1)-relation plan (as outer) to the N'th relation. (*All N-relation plans*.)
- ✓ For each subset of relations, retain only:
  - Cheapest plan overall, plus
  - Cheapest plan for each *interesting order* of the tuples.

Database Management Systems, R. Ramakrishnan and J. Gehrke

18

## Enumeration of Plans (Contd.)


- ✓ ORDER BY, GROUP BY, aggregates etc. handled as a final step, using either an ‘interestingly ordered’ plan or an additional sorting operator.
- ✓ An N-1 way plan is not combined with an additional relation unless there is a join condition between them, unless all predicates in WHERE have been used up.
  - i.e., avoid Cartesian products if possible.
- ✓ In spite of pruning plan space, this approach is still exponential in the # of tables.

Database Management Systems, R. Ramakrishnan and J. Gehrke

19

## Example

Sailors:  
B+ tree on rating  
Hash on sid  
Reserves:  
B+ tree on bid



✓ Pass 1:

- *Sailors:* B+ tree matches  $rating > 5$ , and is probably cheapest. However, if this selection is expected to retrieve a lot of tuples, and index is unclustered, file scan may be cheaper.
  - „ Still, B+ tree plan kept (because tuples are in rating order).
- *Reserves:* B+ tree on  $bid$  matches  $bid = 500$ ; cheapest.

✓ Pass 2:

- We consider each plan retained from Pass 1 as the outer, and consider how to join it with the (only) other relation.
  - „ e.g., *Reserves as outer:* Hash index can be used to get *Sailors* tuples that satisfy  $sid = \text{outer tuple's } sid$  value.

Database Management Systems, R. Ramakrishnan and J. Gehrke

20

## Nested Queries

- ✓ Nested block is optimized independently, with the outer tuple considered as providing a selection condition.
- ✓ Outer block is optimized with the cost of ‘calling’ nested block computation taken into account.
- ✓ Implicit ordering of these blocks means that some good strategies are not considered. *The non-nested version of the query is typically optimized better.*

Database Management Systems, R. Ramakrishnan and J. Gehrke

```
SELECT S.sname
FROM Sailors S
WHERE EXISTS
  (SELECT *
   FROM Reserves R
   WHERE R.bid=103
   AND R.sid=S.sid)
```

Nested block to optimize:  
SELECT \*  
FROM Reserves R  
WHERE R.bid=103  
AND S.sid= outer value

Equivalent non-nested query:  
SELECT S.sname  
FROM Sailors S, Reserves R  
WHERE S.sid=R.sid  
AND R.bid=103

21

## Summary

- ✓ Query optimization is an important task in a relational DBMS.
- ✓ Must understand optimization in order to understand the performance impact of a given database design (relations, indexes) on a workload (set of queries).
- ✓ Two parts to optimizing a query:
  - Consider a set of alternative plans.
    - „ Must prune search space; typically, left-deep plans only.
  - Must estimate cost of each plan that is considered.
    - „ Must estimate size of result and cost for each plan node.
    - „ Key issues: Statistics, indexes, operator implementations.

Database Management Systems, R. Ramakrishnan and J. Gehrke

22

## Summary (Contd.)

- ✓ Single-relation queries:
  - All access paths considered, cheapest is chosen.
  - *Issues:* Selections that *match* index, whether index key has all needed fields and/or provides tuples in a desired order.
- ✓ Multiple-relation queries:
  - All single-relation plans are first enumerated.
    - „ Selections/projections considered as early as possible.
  - Next, for each 1-relation plan, all ways of joining another relation (as inner) are considered.
  - Next, for each 2-relation plan that is ‘retained’, all ways of joining another relation (as inner) are considered, etc.
  - At each level, for each subset of relations, only best plan for each interesting order of tuples is ‘retained’.

Database Management Systems, R. Ramakrishnan and J. Gehrke

23