


Outline

- Introduction
- Background
- Distributed DBMS Architecture
 - Datalogical Architecture
 - Implementation Alternatives
 - Component Architecture
- Distributed DBMS Architecture
- Distributed Database Design
- Semantic Data Control
- Distributed Query Processing
- Distributed Transaction Management
- Parallel Database Systems
- Distributed Object DBMS
- Database Interoperability
- Current Issues

Architecture

- Defines the structure of the system
 - components identified
 - functions of each component defined
 - interrelationships and interactions between components defined

ANSI/SPARC Architecture



Standardization

Reference Model

- ➔ A conceptual framework whose purpose is to divide standardization work into manageable pieces and to show at a general level how these pieces are related to one another.

Approaches

- ➔ **Component-based**
 - ◆ Components of the system are defined together with the interrelationships between components.
 - ◆ Good for design and implementation of the system.
- ➔ **Function-based**
 - ◆ Classes of users are identified together with the functionality that the system will provide for each class.
 - ◆ The objectives of the system are clearly identified. But how do you achieve these objectives?
- ➔ **Data-based**
 - ◆ Identify the different types of describing data and specify the functional units that will realize and/or use data according to these views.

Conceptual Schema Definition

```
RELATION EMP [  
  KEY = {ENO}  
  ATTRIBUTES = {  
    ENO    : CHARACTER(9)  
    ENAME  : CHARACTER(15)  
    TITLE  : CHARACTER(10)  
  }  
]  
RELATION PAY [  
  KEY = {TITLE}  
  ATTRIBUTES = {  
    TITLE  : CHARACTER(10)  
    SAL    : NUMERIC(6)  
  }  
]
```

Conceptual Schema Definition

```
RELATION PROJ [  
  KEY = {PNO}  
  ATTRIBUTES = {  
    PNO    : CHARACTER(7)  
    PNAME  : CHARACTER(20)  
    BUDGET : NUMERIC(7)  
    LOC    : CHARACTER(15)  
  }  
]  
RELATION ASG [  
  KEY = {ENO,PNO}  
  ATTRIBUTES = {  
    ENO    : CHARACTER(9)  
    PNO    : CHARACTER(7)  
    RESP   : CHARACTER(10)  
    DUR    : NUMERIC(3)  
  }  
]
```

Internal Schema Definition

```
RELATION EMP [  
  KEY = {ENO}  
  ATTRIBUTES = {  
    ENO   : CHARACTER(9)  
    ENAME : CHARACTER(15)  
    TITLE : CHARACTER(10)  
  }  
]
```



```
INTERNAL_REL E [  
  INDEX ON E# CALL EMINX  
  FIELD = {  
    E#   : BYTE(9)  
    ENAME : BYTE(15)  
    TIT  : BYTE(10)  
  }  
]
```

External View Definition – Example 1

Create a BUDGET view from the PROJ relation


```
CREATE VIEW BUDGET(PNAME, BUD)  
AS SELECT PNAME, BUDGET  
FROM PROJ
```

External View Definition – Example 2

Create a Payroll view from relations EMP and
TITLE_SALARY

```
CREATE VIEW PAYROLL (EMP_NO, EMP_NAME, SAL)
AS SELECT EMP.ENO,EMP.ENAME,PAY.SAL
FROM EMP, PAY
WHERE EMP.TITLE = PAY.TITLE
```

DBMS Implementation Alternatives



Dimensions of the Problem

■ Distribution

- ⇒ Whether the components of the system are located on the same machine or not


■ Heterogeneity

- ⇒ Various levels (hardware, communications, operating system)
- ⇒ DBMS important one
 - ◆ data model, query language, transaction management algorithms


■ Autonomy

- ⇒ Not well understood and most troublesome
- ⇒ Various versions [Veijalainen and Pepescu-Zeletin, 1988]
 - ◆ Design autonomy: Ability of a component DBMS to decide on issues related to its own design.
 - ◆ Communication autonomy: Ability of a component DBMS to decide whether and how to communicate with other DBMSs.
 - ◆ Execution autonomy: Ability of a component DBMS to execute local operations in any manner it wants to.


Datalogical Distributed DBMS Architecture




Datalogical Multi-DBMS Architecture




Timesharing Access to a Central Database



Multiple Clients/Single Server



Task Distribution



Advantages of Client-Server Architectures


- More efficient division of labor
- Horizontal and vertical scaling of resources
- Better price/performance on client machines
- Ability to use familiar tools on client machines
- Client access to remote data (via standards)
- Full DBMS functionality provided to client workstations
- Overall better system price/performance

Problems With Multiple-Client/Single Server

- Server forms bottleneck
- Server forms single point of failure
- Database scaling difficult


Multiple Clients/Multiple Servers

- directory
- caching
- query decomposition
- commit protocols




Server-to-Server


- SQL interface
- programmatic interface
- other application support environments



Peer-to-Peer Component Architecture



Components of a Multi-DBMS



Directory Issues

