

Department of Computer Science  
Purdue University, West Lafayette

Fall 2005: CS 590T Model Based Software Testing  
Midterm Examination (Solutions)

Thursday October 6, 2005 4:30pm-6pm, REC 227  
Maximum points: 25

Name: Aditya Mathur

All answers are in red. [Revised version of solutions based on corrections by students.  
10/13/05.]

---

Q 1 Application  $P$  is under test. The input domain of  $P$  can be partitioned into two subsets:  $\mathcal{V}$  consisting of input values that satisfy the constraints on the input variables and  $\mathcal{N}$  consisting of input values that do not satisfy the constraints on the input variables.

(a) What type of testing selects test inputs mostly from  $\mathcal{N}$  ?

- Robustness testing
- Stress testing

0.5 point

(b) Imagine, and list, at least one aspect of  $P$  that might need stress testing ?

0.5 point

Handling of incoming requests that might be held in a buffer by  $P$  prior to processing. In this case, stress testing will aim at detecting errors in handling buffer overflows and possibly unacceptable performance degradation when “too many” transactions arrive at  $P$  in a short interval.

(c) Regression testing is most likely to be used in which phase of the software lifecycle for  $P$  ? (Select one)

- Design
- Coding
- Unit testing
- Maintenance

0.5 point

(d) Offer one reason why robustness testing might be recommended for  $P$  despite the fact that  $P$  satisfies all requirements as determined through functional test.

0.5 point

Incompleteness and ambiguity in requirements as well as errors made by the programmer in handling unexpected values, make robustness testing necessary.

- (e) A tester is testing the GUI of  $P$  by selecting suitable menu items, buttons, and other widgets and observing visually if the GUI performs as expected. What type of testing is the tester performing? (Select one)

0.5 point

- ☐ Black box    ☐ White box

- (f) Suppose that  $P$  contains no loops but has  $n > 0$  if-then statements arranged in sequence (not nested). Assume that the length of a path is measured in terms of the number of blocks, not necessarily distinct, along the path. Answer the following.

2 points

Maximum number of distinct paths in  $P = 2^n$

Number of basic blocks in  $P = 2n + (2)$

Length of the longest path in  $P = 2n + (2)$

Length of the shortest path in  $P = n + (2)$

(2) is necessary when the *start* and *exit* are treated as separate blocks.


- (g) Consider the following Java code that contains one method. Draw the control flow graph (CFG) of this procedure. Indicate block numbers, e.g.  $B_1$ ,  $B_2$ , and so on, on your CFG. Indicate the contents of each block by specifying, in a separate table, the line numbers that fall in each block.

*3 points*

```

1 Button save=new Button ("Save");
2 Button read=new Button ("Read");
3 int [] A={-19, 20, 34, 0, 32, -87};
4 public Button findButton(int index){
5     while(A[index]<0){
6         index++;
7     }
8     if(index==0) {
9         return(save);
10    }
11    else{
12        return(read);
13    }

```



Q2 The *ls* command in Unix/Linux is to display the contents of a directory. The format of the *ls* command is:

*ls options [pathnames]*

where *options* is a list of options and *[pathnames]* is an optional list of directory names the contents of which are to be displayed. While there is a rather long list of options available, we restrict to two: *-a* and *-C*. The *-a* option “Shows you all files, even files that are hidden (these files begin with a dot).” The *-C* option produces “Multi-column output with entries sorted down the columns. Generally this is the default option.”

Your task is to apply uni-dimensional equivalence partitioning and boundary value analysis to generate test cases to test an implementation *P* of the *ls* command. Do not ignore the fact that files and directories also serve as input to *P*. While deriving the input data, you do not need to list the contents of a file or directory; simply indicate what should be the properties of the file/directory.

Label your equivalence classes as  $E_1$ ,  $E_2$ , and so on. List the equivalence classes, and a sample test input for each class, in a suitably chosen tabular format. Mark the tests so that it is clear which tests you derived using equivalence partitioning and which ones using boundary value analysis.


5 points

Eq. Class	Description	Test
<i>Based on options</i>		
E1*	ls commands with no options	ls
E2	with -C option	ls -C
E3	with -a option	ls -a
E4	with illegal options	ls -+
<i>Based on pathnames</i>		
E5	Commands with valid path names	
E6	with invalid pathnames	
E7*	with empty pathname	
E8*	with very long valid path names	
<i>Based on directory contents</i>		
E9	Directories with only hidden files	
E10	Directories with no hidden files	
E11	Directories with a mix of hidden and other files	
E12*	Huge directory	
E13*	Empty directory	

\* From BVA.

Q3(a) Consider the following predicate  $p : a = b \wedge \neg c \vee d > e$ , where  $a, b, d, e$  are integers and  $c$  is Boolean. Derive a BRO constraint set  $S$  for  $p$ . Clearly show the tree used to derive  $S$ .

2 points



(b) Use  $S$  to derive a sample set  $T$  of test inputs.

1 point

Test	Constraint	a	b	c	d	e	p	p <sub>1</sub>	p <sub>2</sub>
t <sub>1</sub>	(>, f, =)	3	2	f	3	3			
t <sub>2</sub>	(<, f, <)	2	4	f	3	4			
t <sub>3</sub>	(=, t, <)	1	1	t	2	5			
t <sub>4</sub>	(=, f, =)	5	5	f	0	0	t	f	f
t <sub>5</sub>	(=, t, >)	4	4	t	4	2			

- (c) Show that there is (are) at least some test case(s) in  $T$  (that) reveal the errors in the following implementations of  $p$ :

$$p_1 : a = b \wedge c \vee d > e$$

$$p_2 : a = b \wedge c \vee d < e$$

1 point

Test  $t_4$  reveals the errors in  $p_1$  and  $p_2$ .

Q4 Let FSM  $M = (X, Y, Q, q_0, \delta, O)$  be minimal, completely specified, connected, and deterministic. Let  $i/o$  denote a label along a transition in  $M$ , where  $i$  belongs to the input alphabet  $X$  and  $o$  to the output alphabet  $O$ . Recall that  $\delta$  and  $O$  are, respectively, the transition and output functions, and  $q_0$  the start state. Let  $TT$  denote the transition tree,  $P$  the transition cover set, and  $W$  the characterization set for  $M$ . FSM  $M'$  is an implementation of  $M$  and contains the same number of states as in  $M$  and has the same input and output alphabets as  $M$ . Answer the following questions.

- (a) Let  $q_1$  and  $q_2$  be two states in  $Q$ . Suppose that transitions going out of  $q_1$  have exactly the same labels as those going out of  $q_2$ . For example, if  $a/0$  is a label on a transition going out of  $q_1$ , then  $q_2$  also has an outgoing transition labeled  $a/0$ . Are  $q_1$  and  $q_2$  equivalent? Provide brief support to your answer.

1 point

No,  $q_1$  and  $q_2$  are not equivalent. They are 1-equivalent but might not be  $k$ -equivalent for  $k > 1$ . For an example, see states  $q_0$  and  $q_2$  in Figure 5.9 of the textbook.

(b) Given that  $|X| = n_x$ ,  $|Y| = n_y$ ,  $|Q| = n_q$ , and  $|O| = n_o$ , answer the following.

(Maximum) Depth of  $TT = n_q + 1$

Maximum length of the string required to distinguish any two states in  $M = n_q - 1$

Maximum number of times a state could occur in  $TT = n_q \times (n_x - 1) + 2$

Minimum number of times a state could occur in  $TT = 1$

The minimum value of  $n_o$  ( $n_y$ ) if each state in  $M$  is distinguished by a string of length 1  $= n_q$

Maximum length of a string required to detect a transfer error in  $M' = (n_q) + (n_q - 1)$

Maximum length of a string required to detect an operation error in  $M' = n_q$

3.5 points

(c) Suppose FSM  $M$  is such that  $X = \{a, b\}$ ,  $Y = \{0, 1\}$ ,  $Q = \{q_0, q_1, q_2, q_3\}$ ,  $q_0$  is the start state, and the transition and output functions are as in Figure 1. Construct the k-equivalence partition tables to determine if  $M$  is minimal. If it is, then find its characterization set  $W$ .

4 points




Figure 1 FSM for Q 4(c). Note that edges  $q_1 - q_2$  and  $q_2 - q_0$  have multiple labels.

$P_1 = \{\Sigma_1, \Sigma_2, \Sigma_3\}$ , where  $\Sigma_1 = \{q_0, q_1\}$ ,  $\Sigma_2 = \{q_2, \}$ ,  $\Sigma_3 = \{q_3\}$

$P_2 = \{\Sigma_1, \Sigma_2, \Sigma_3, \Sigma_4\}$ , where  $\Sigma_1 = \{q_0\}$ ,  $\Sigma_2 = \{q_1, \}$ ,  $\Sigma_3 = \{q_2, \}$ ,  $\Sigma_4 = \{q_3\}$

$W = \{a, b, aa\}$  (Other answers are also possible.)

Q 5 What are the roles of the three characters shown on the cover page of “Foundations of Software Testing” used in CS 590T ? Express your answer using terminology from software engineering.

*One small pan pizza with 3 toppings of your choice.*

None of the given answers was correct though two were close. Continue thinking !

\_\_\_\_\_ End of Questions. \_\_\_\_\_