



Chapter 11 Outline

- A Simple PHP Example
- Overview of Basic Features of PHP
- Overview of PHP Database Programming

Web Database Programming Using PHP

- Techniques for programming dynamic features into Web
- PHP
 - Open source scripting language
 - Interpreters provided free of charge
 - Available on most computer platforms

A Simple PHP Example

- PHP

- Open source general-purpose scripting language
- Comes installed with the UNIX operating system

A Simple PHP Example (cont'd.)

- DBMS
 - **Bottom-tier database server**
- PHP
 - **Middle-tier Web server**
- HTML
 - **Client tier**

Figure 11.1a PHP program segment for entering a greeting.

(a)

```
//Program Segment P1:
0) <?php
1) // Printing a welcome message if the user submitted their name
   // through the HTML form
2) if ($_POST['user_name']) {
3)     print("Welcome, ") ;
4)     print($_POST['user_name']);
5) }
6) else {
7)     // Printing the form to enter the user name since no name has
       // been entered yet
8)     print <<<_HTML_
9)     <FORM method="post" action="$_SERVER['PHP_SELF']">
10)    Enter your name: <input type="text" name="user_name">
11)    <BR/>
12)    <INPUT type="submit" value="SUBMIT NAME">
13)    </FORM>
14)    _HTML_;
15) }
16) ?>
```

continued on next slide

Figure 11.1b-d (b) Initial form displayed by PHP program segment. (c) User enters name *John Smith*. (d) Form prints welcome message for *John Smith*.

(b)

Enter your name:

SUBMIT NAME

(c)

Enter your name:

SUBMIT NAME

(d)

Welcome, John Smith

A Simple PHP Example (cont'd.)

- Example Figure 11.1(a)
- PHP script stored in:
 - <http://www.myserver.com/example/greeting.php>
- `<?php`
 - PHP start tag
- `?>`
 - PHP end tag
- Comments: `//` or `/* */`

A Simple PHP Example (cont'd.)

- `$_POST`
 - **Auto-global** predefined PHP variable
 - Array that holds all the values entered through form parameters
- Arrays are dynamic
- **Long text strings**
 - Between opening `<<<_HTML_` and closing `_HTML_;`

A Simple PHP Example (cont'd.)

- **PHP variable names**
 - Start with \$ sign

Overview of Basic Features of PHP

- Illustrate features of PHP suited for creating dynamic Web pages that contain database access commands

PHP Variables, Data Types, and Programming Constructs

- **PHP variable names**
 - Start with \$ symbol
 - Can include characters, letters, and underscore character (_)
- **Main ways to express strings and text**
 - **Single-quoted strings**
 - **Double-quoted strings**
 - **Here documents**
 - **Single and double quotes**

PHP Variables, Data Types, and Programming Constructs (cont'd.)

■ Period (.) symbol

- String concatenate operator

■ Single-quoted strings

- Literal strings that contain no PHP program variables

■ Double-quoted strings and here documents

- Values from variables need to be interpolated into string

PHP Variables, Data Types, and Programming Constructs (cont'd.)

- Numeric data types
 - Integers and floating points
- Programming language constructs
 - For-loops, while-loops, and conditional if-statements
- Boolean expressions

Figure 11.2 Illustrating basic PHP string and text values.

```
0) print 'Welcome to my Web site.';
1) print 'I said to him, "Welcome Home"';
2) print 'We\'ll now visit the next Web site';
3) printf('The cost is $%.2f and the tax is $%.2f',
    $cost, $tax) ;
4) print strtolower('AbCdE');
5) print ucwords(strtolower('JOHN smith'));
6) print 'abc' . 'efg'
7) print "send your email reply to: $email_address"
8) print <<<FORM_HTML
9) <FORM method="post" action="$_SERVER['PHP_SELF']">
10) Enter your name: <input type="text" name="user_name">
11) FORM_HTML
```

PHP Variables, Data Types, and Programming Constructs (cont'd.)

■ Comparison operators

- == (equal), != (not equal), > (greater than), >= (greater than or equal), < (less than), and <= (less than or equal)

PHP Arrays

- Can hold database query results
 - Two-dimensional arrays
 - First dimension representing rows of a table
 - Second dimension representing columns (attributes) within a row
- Main types of arrays:
 - **Numeric** and **associative**

PHP Arrays (cont'd.)

- Numeric array
 - Associates a numeric index with each element in the array
 - Indexes are integer numbers
 - Start at zero
 - Grow incrementally
- Associative array
 - Provides pairs of (key => value) elements

Figure 11.3 Illustrating basic PHP array processing.

```
0) $teaching = array('Database' => 'Smith', 'OS' => 'Carrick',  
                    'Graphics' => 'Kam');  
1) $teaching['Graphics'] = 'Benson'; $teaching['Data Mining'] = 'Li';  
2) sort($teaching);  
3) foreach ($teaching as $key => $value) {  
4)     print " $key : $value\n";}  
5) $courses = array('Database', 'OS', 'Graphics', 'Data Mining');  
6) $alt_row_color = array('blue', 'yellow');  
7) for ($i = 0, $num = count($courses); i < $num; $i++) {  
8)     print '<TR bgcolor="' . $alt_row_color[$i % 2] . '">';  
9)     print "<TD>Course $i is</TD><TD>$course[$i]</TD></TR>\n";  
10) }
```

PHP Arrays (cont'd.)

- Techniques for looping through arrays in PHP
- Count function
 - Returns current number of elements in array
- Sort function
 - Sorts array based on element values in it

PHP Functions

- Functions
 - Define to structure a complex program and to share common sections of code
 - Arguments passed by value
- Examples to illustrate basic PHP functions
 - Figure 11.4
 - Figure 11.5

Figure 11.4

```
//Program Segment P1':
0) function display_welcome() {
1)     print("Welcome, ") ;
2)     print($_POST['user_name']);
3) }
4)
5) function display_empty_form(); {
6) print <<<_HTML_
7) <FORM method="post" action="$_SERVER['PHP_SELF']">
8) Enter your name: <INPUT type="text" name="user_name">
9) <BR/>
10) <INPUT type="submit" value="Submit name">
11) </FORM>
12) _HTML_;
13) }
14) if ($_POST['user_name']) {
15)     display_welcome();
16) }
17) else {
18)     display_empty_form();
19) }
```

Figure 11.5 Illustrating a function with arguments and return value.

```
0) function course_instructor ($course, $teaching_assignments) {  
1)   if (array_key_exists($course, $teaching_assignments)) {  
2)     $instructor = $teaching_assignments[$course];  
3)     RETURN "$instructor is teaching $course";  
4)   }  
5)   else {  
6)     RETURN "there is no $course course";  
7)   }  
8) }  
9) $teaching = array('Database' => 'Smith', 'OS' => 'Carrick',  
                     'Graphics' => 'Kam');  
10) $teaching['Graphics'] = 'Benson'; $teaching['Data Mining'] = 'Li';  
11) $x = course_instructor('Database', $teaching);  
12) print($x);  
13) $x = course_instructor('Computer Architecture', $teaching);  
14) print($x);
```

PHP Server Variables and Forms

- Built-in entries
 - `$_SERVER` auto-global built-in array variable
 - Provides useful information about server where the PHP interpreter is running

PHP Server Variables and Forms (cont'd.)

- Examples:

- `$_SERVER['SERVER_NAME']`
- `$_SERVER['REMOTE_ADDRESS']`
- `$_SERVER['REMOTE_HOST']`
- `$_SERVER['PATH_INFO']`
- `$_SERVER['QUERY_STRING']`
- `$_SERVER['DOCUMENT_ROOT']`

- `$_POST`

- Provides input values submitted by the user through HTML forms specified in `<INPUT>` tag

Overview of PHP Database Programming

- PEAR DB library
 - Part of PHP Extension and Application Repository (PEAR)
 - Provides functions for database access

Connecting to a Database

- Library module DB.php must be loaded
- DB library functions accessed using `DB::<function_name>`
- `DB::connect('string')`
 - Function for connecting to a database
 - Format for 'string' is: `<DBMS software>://<user account>:<password>@<database server>`

Figure 11-28 Connecting to a database, creating a table, and inserting a record.

```
0) require 'DB.php';
1) $d = DB::connect('oci8://acctl:pass12@www.host.com/db1');
2) if (DB::isError($d)) { die("cannot connect - " . $d->getMessage());}
   ...
3) $q = $d->query("CREATE TABLE EMPLOYEE
4)   (Emp_id INT,
5)   Name VARCHAR(15),
6)   Job VARCHAR(10),
7)   Dno INT);" );
8) if (DB::isError($q)) { die("table creation not successful - " .
   $q->getMessage()); }
   ...
9) $d->setErrorHandler(PEAR_ERROR_DIE);
   ...
10) $eid = $d->nextID('EMPLOYEE');
11) $q = $d->query("INSERT INTO EMPLOYEE VALUES
12)   ($eid, $_POST['emp_name'], $_POST['emp_job'], $_POST['emp_dno'])" );
   ...
13) $eid = $d->nextID('EMPLOYEE');
14) $q = $d->query('INSERT INTO EMPLOYEE VALUES (?, ?, ?, ?)',
15) array($eid, $_POST['emp_name'], $_POST['emp_job'], $_POST['emp_dno']) );
```

Some Database Functions

- Query function
 - `$d->query` takes an SQL command as its string argument
 - Sends query to database server for execution
- `$d->setErrorHandler(PEAR_ERROR_DIE)`
 - Terminate program and print default error messages if any subsequent errors occur

Collecting Data from Forms and Inserting Records

- Collect information through HTML or other types of Web forms
- Create unique record identifier for each new record inserted into the database
- PHP has a function `$d->nextID` to create a sequence of unique values for a particular table
- **Placeholders**
 - Specified by `?` symbol

Retrieval Queries from Database Tables

- `$q`
 - Variable that holds query result
 - `$q->fetchRow()` retrieve next record in query result and control loop
- `$allresult = $d->getAll(query)`
 - Holds all the records in a query result in a single variable called `$allresult`

Figure

```
0) require 'DB.php';
1) $d = DB::connect('oci8://acctl:pass12@www.host.com/dbname');
2) if (DB::isError($d)) { die("cannot connect - " . $d->getMessage()); }
3) $d->setErrorHandler(PEAR_ERROR_DIE);
   ...
4) $q = $d->query('SELECT Name, Dno FROM EMPLOYEE');
5) while ($r = $q->fetchRow()) {
6)     print "employee $r[0] works for department $r[1] \n" ;
7) }
   ...
8) $q = $d->query('SELECT Name FROM EMPLOYEE WHERE Job = ? AND Dno = ?',
9)     array($_POST['emp_job'], $_POST['emp_dno']) );
10) print "employees in dept $_POST['emp_dno'] whose job is
      $_POST['emp_job']: \n"
11) while ($r = $q->fetchRow()) {
12)     print "employee $r[0] \n" ;
13) }
   ...
14) $allresult = $d->getAll('SELECT Name, Job, Dno FROM EMPLOYEE');
15) foreach ($allresult as $r) {
16)     print "employee $r[0] has job $r[1] and works for department $r[2] \n" ;
17) }
   ...
```


Other techniques

- PHP runs on server
 - Sends HTML to client
- Many other languages/technologies for Web Db programming
- Examples:
- Java servlets:
 - Java objects on server, interact with client
 - Store information about interaction session

Other techniques (cont.)

- Java Server Pages (JSP)
 - Creates dynamic Web pages through scripting at server to send to client (somewhat like PHP)
- JavaScript
 - Scripting language, can run at client or server
- Java Script Object Notation (JSON):
 - Text-based representation of objects
 - Similar function to XML
 - Used in many NOSQL systems

Summary

- PHP scripting language
 - Very popular for Web database programming
- PHP basics for Web programming
- Data types
- Database commands include:
 - Creating tables, inserting new records, and retrieving database records
 - Looping over a query result