

CS590U

Access Control: Theory and Practice

Lecture 14 (February 24)

Basics of Logic and Logic Programming

What is Logic?

- Formulas
- Syntactical approach
 - define how to derive new formulas from existing ones
 - $\Gamma \vdash \varphi$
- Semantic approach
 - define when a formula is a logical implication of other formulas
 - $\Gamma \models \varphi$

Example Logic Formulas

- From
 - $\forall X \forall Y (\text{mother}(X) \wedge \text{child_of}(Y, X) \Rightarrow \text{loves}(X, Y))$
 - $\text{mother}(\text{mary})$
 - $\text{child_of}(\text{tom}, \text{mary})$
- Conclude
 - $\text{loves}(\text{mary}, \text{tom})$



Kinds of Logic

- Propositional logic
 - classical, intuitionistic
- First order logic (predicate logic)
 - classical, intuitionistic
- Second order logic
- Model logic

Propositional Logic

- \wedge AND
- \vee OR $p \vee q$ equivalent with $\neg(\neg p \wedge \neg q)$
- \neg NOT
- \Rightarrow $p \Rightarrow q$ equivalent with $\neg p \vee q$
- \Leftrightarrow $p \Leftrightarrow q$ means $p \Rightarrow q \wedge q \Rightarrow p$

- Well formed formulas
 - a variable is a wff
 - $(\phi \wedge \psi)$, $(\phi \vee \psi)$, $(\neg \phi)$, $(\phi \Rightarrow \psi)$, $(\phi \Leftrightarrow \psi)$ are wff's

Semantics of Propositional Logic

- A valuation of a formula φ is a truth assignment for every variable in φ
 - one can then evaluate φ
- A valuation of a formula φ is a model of φ if φ evaluates to true
- $\varphi_1, \dots, \varphi_n \models \psi$ iff ψ is true in every model of $\varphi_1, \dots, \varphi_n$
- A formula φ is satisfiable iff it has one model
- A formula φ is valid iff every valuation of it is a model for it



Conjunctive Normal Form

- Conjunctive Normal Form
- A formula is represented as conjunctions of disjunctions
- Checking validity of formulas in CNF is easy, but checking satisfiability is NP-complete

Horn Clauses

- A formula in CNF where each conjunct has 0 or 1 positive literal
 - p_1 a fact
 - $p_1 \vee \neg p_2 \vee \dots \vee \neg p_n$
 - i.e., $p_1 \leftarrow p_2 \wedge \dots \wedge p_n$ a rule
 - $\neg p_1 \vee \neg p_2 \vee \dots \vee \neg p_n$
 - i.e., $\leftarrow p_2 \wedge \dots \wedge p_n$ a query
- Satisfiability of a formula in horn clauses can be decided in linear time

Predicate Logic

- An alphabet consists of predicates, constants, and variables
 - in $\forall X \forall Y (\text{mother}(X) \wedge \text{child_of}(Y, X) \Rightarrow \text{loves}(X, Y)) \wedge \text{mother}(\text{mary}) \wedge \text{child_of}(\text{tom}, \text{mary})$
 - mother, child_of, loves are predicates
 - mary and tom are constants
 - X and Y are variables
 - \forall and \exists are quantifiers
- We ignore function symbols for this lecture

Closed Formulas (Sentences)

- Given a formula φ , the occurrence of a variable X is bound if it is inside the scope of a quantifier $\forall X$ or $\exists X$. Otherwise, the occurrence is free.
- A formula with no free occurrences of variables is said to be closed.
 - a closed formula is also known as a sentence.
- A formula with no variable is said to be ground.



Semantics of Predicate Logic

- A formula is just a string that can be parsed to a syntax tree
- A structure is a domain together with a set of relations (ignoring functions)
- An interpretation I of an alphabet maps
 - each constant to an element in the domain
 - each n -ary predicate to a relation

Semantics of Predicate Logic

- Given an interpretation I ,
 - $\forall X \varphi$ evaluates to true iff for every element in I , φ with every free occurrence of X replaced by evaluates to true
 - $\exists X \varphi$ evaluates to true iff there exists an element in I , φ with every free occurrence of X replaced by evaluates to true
 - $p(c_1, c_2, \dots, c_n)$ evaluates to true iff (c_1, c_2, \dots, c_n) is in the relation that p maps to

Models and Logical Consequence

- Given a set P of closed formulas, an interpretation I , I is a model of P iff every formula in P is true in I .
- A formula is unsatisfiable if it doesn't have a model
- Logical consequence: φ is a logical consequence of P iff φ is true in every model of P , written as $P \models \varphi$.
- Proving $P \models \varphi$ may be difficult, one way is to prove that $P \cup \neg\varphi$ is unsatisfiable



Logical Inference

- Using rules to manipulate formulas to determine whether φ follows from P .
- Soundness and completeness



Logic Programming

- Rooted in Automated Theorem Proving
 - see an example
- The program consists of clauses
 - how to express grandchild in terms of child

Definite Clauses

- A definite clause has the form
 - $A_0 \leftarrow A_1 \wedge \dots \wedge A_n$ where $n \geq 0$
 - When $n=0$, it is a fact
 - Otherwise, it is a rule
- Logical atoms, literals, clauses
- A definite program is a finite set of definite clauses
- A definite goal has the form $\leftarrow A_1 \wedge \dots \wedge A_n$
- The programmer has an intended model; the program describes features of the model. The programmer wants to know properties of the intended model
- The evaluation engine must be sound



The Least Herbrand Model

- Given an alphabet A , the Herbrand universe consists of all ground terms that can be constructed using symbols from A
 - when A doesn't contain any function symbols, the Herbrand universe is simply the set of all constants in A
- The Herbrand base consists of all ground atoms over A



Herbrand Model

- Herbrand interpretation
 - essentially a subset of the Herbrand base, saying which ground atoms are true
- A Herbrand model of a program is a Herbrand interpretation such that every clause is true in it

Why Herbrand Model?

- Theorem: Let P be a definite program and G a definite goal, if $P \cup \{G\}$ has a model, then $P \cup \{G\}$ has a Herbrand model
- Corollary: if $P \cup \{G\}$ does not have a Herbrand model, then $P \models \neg G$.
- Thus, one only need to check whether G is false in all Herbrand models of P to determine whether $\neg G$ is true
- Theorem: Given two Herbrand model of a definite program, their intersection is also a Herbrand model



The Least Herbrand Model

- Theorem: There exists a unique least Herbrand model.
- Theorem: The least Herbrand model is the set of all ground atomic logical consequences of the program.

Construction of the Least Herbrand Model

- Using the immediate consequence operator
- The least fixedpoint of the immediate consequence operator is the least Herbrand Model.



Next Lecture

- Overview of Trust Management