CS590U Access Control: Theory and Practice

Lecture 13 (February 28) Constraints in Role Based Access Control

SoD

- If a sensitive task comprises two steps, then two different users should perform each step.
- E.g. the same user cannot order goods, and authorize payment for those goods.
- Is a security principle that is generally considered to be useful.

SoD (contd.)


More elaborate example:
(a) Order goods and record details of order
(b) Receive invoice and check against order
(c) Receive goods and check against invoice
(d) Authorize payment against invoice

A set of SoD requirements:
(1) No user performs (a) and (d).
(2) At least 3 users to perform all 4 steps.

Enforcement of SoD

- Static enforcement
 - the permissions to perform two steps are not assigned to a single user
- Dynamic enforcement
 - remember which user performed each step, and don't allow a user to perform the next step if violating SoD policy

SoD and RBAC



- Static SoD policy: ssod({ p₁, ..., p_n}, k)
 - e₁ = ssod({order, pay}, 2)
 - e₂ = ssod({order, invoice, goods, pay}, 3)

SSoD Safety

- An RBAC state is given by (UA,PA,RH)
- Definition: An RBAC state γ is safe wrt. ssod({p₁, ..., p_n},k) iff. in γ no k-1 users together have all permissions in {p₁, ..., p_n}.
- Definition: An RBAC state γ is safe wrt. a set E of SSoD policies iff γ is safe wrt. each e in E.
- Definition: The SCSSoD problem is to determine whether an RBAC state is safe wrt. a set E of SSoD policies.

SCSSOD is coNP-complete

Proof: Show that determining whether γ is not safe wrt. E is NP-complete.

- In NP: if unsafe, then \exists ssod({p₁, ..., p_n},k) in E, and k-1 users such that the permissions they have contains {p₁, ..., p_n}. After guessing e, and k-1 users, can be verified in polynomial time.
- NP-hard: The set covering problem: Given a finite set S, $F={S_1,...,S_m}$ (where $S_j \subseteq S$), B, determine whether exist B members of F such that their union is S.
- Reduction: each element in S maps to a permission, each S_i maps to a user

SMER Constraints

- Statically mutually-exclusive role (SMER) constraints: smer({r₁, ..., r_m}, t)
 - means that no user can be a member of t roles from $\{r_1, \, ... \, , \, r_m\}$
 - smer({r₁,r₂}, 2} means that r₁ and r₂ are mutually exclusive, i.e., no user can be a member of both roles
- Example:
 - $C = \{c_1, c_2, c_3\}$, where:
 - c₁ = smer({WHouse, Accnt, Fin}, 2)
 - $c_2 = \operatorname{smer}(\{\operatorname{Engg}, \operatorname{Fin}\}, 2)$
 - $c_3 = smer({QA, Fin}, 2)$

Terminology Confusion in Literature

- SMER constraints are called SSoD constraints in the literature
 - possible reason: given ssod({p₁, p₂},2), if only r₁ has p₁ and only r₂ has p₂, then making r₁ and r₂ mutually exclusive enforces ssod({p₁, p₂},2)
- Why this is bad?
 - confusing objective with mechanism
 - suppose that one makes r₁ and r₂ exclusive and permission assignment changes, then it may not enforce the SSoD policy anymore

Even more Terminology Confusion

- DMER constraints, which require that certain roles cannot be activated in the same session, are called DSoD constraints in the literature
 - because they are dynamic version of "SSoD constraints"
- However, DMER constraints have nothing to do with Separation of Duty; they are motivated by the Least Privilege Principle.

SMER Constraints and SSoD Policies

How effective is it to use SMER constraints to enforce SSoD policies?

SC-SMER

- Definition: An RBAC state γ satisfies an SMER constraint smer({r₁, ..., r_m}, t) iff. no user is a member of at least t roles in {r₁, ..., r_m}
- Firstly: can we check whether an RBAC state satisfies an SMER constraint efficiently?
- Yes: for each user
 - compute set of roles of which she is a member
 - intersect with set of roles from constraint
 - check if size < t</p>

SSoD and SMER

- Enforcement Verification (EV) problem: whether a set C of SMER constraints enforces a set E of SSoD policies under a given PA and RH
 - for all possible user-role assignments, does satisfies_C(s) => safe_E(s) ?

CEV

CEV problem: similar to EV, except with

- Singleton set of SSoD policies
- Set of canonical SMER constraints
- EV and CEV are coNP-complete
 - Monotone-3-2-SAT reduces to CEV with only 2-2 SMER constraints
 - EV is in coNP

Monotone 3-2-SAT is NPcomplete

 CNF-SAT is to determine whether a list of disjunctive clauses can be satisfied at the same time

■ e.g., (p1 ∨¬p2∨¬p3) ∧ (p2 ∨¬p3∨p4) ∧

- In a monotone 3-2-SAT instance, each clause either consists of 3 positive literals, or 2 negative literals
- Every 3-SAT instance can be transformed to an equivalent 3-2-SAT instance.

A Special Case of CEV is NPcomplete

- Determining whether a set of 2-2 smer constraints does not enforce a 2-n SSoD policy is NP-complete
- Given a monotone 3-2-SAT instance,
 - for each clause, creates a permission,
 - for each role creates a propositional variable,
 - each positive clause is translated into permissionrole assignments
 - each negative clause is translated into a 2-2 smer

The case in favor of SMER

- EV needs to be performed only when rolerole or permission-role relationships change. These are infrequent.
- When (u,r) is added to UA, only SC-SMER needs to be checked.
- Complement of CEV reduces to SAT.

Generation of SMER

- How did SMER constraints get there in the first place (for us to consider EV)?
- Alternate approach: start with set E of SSoD policies, then generate SMER constraints. Then, EV is inconsequential.
- Naïve approach: make each role mutually exclusive from every other role. But this is too restrictive.



Constraint Generation